

February, 1894.

COLOR CARD.

H. W. JOHNS M'F'G CO.

MANUFACTURERS OF THE

STANDARD PAINTS

FOR STRUCTURAL PURPOSES.

ROOF PAINTS,  
WOOD STAINS,  
VARNISHES, ETC.



FOR SALE BY

NEW YORK,  
JERSEY CITY, CHICAGO,  
PHILADELPHIA, BOSTON,  
LONDON.

E. BOWEN,

236 Walnut St., CINCINNATI, O.

## H. W. JOHNS' LIQUID PAINTS.

These are in every respect strictly first-class Paints, composed of pure liuseed oil and the highest grade of pigments. They are combined by processes exclusively our own, and are unequalled by any in richness and permanency of color. As these Paints are more finely ground than any others, the great difference in their covering properties in comparison with ordinary paint is at once recognized and the universal testimony is that from fifteen to twenty-five per cent. of the usual cost of painting can be saved by their use.

They are prepared ready for the brush, in fifty-six shades and standard colors, and are sold by U. S. standard gallon measure, which contains from 8 to 12 per cent. more than is usually sold for a gallon.

One gallon will cover from 275 to 300 square feet, two coats, without thinning, and can be safely thinned with  $\frac{1}{2}$  gallon pure linseed oil to one gallon of paint for first coat.

Send for instructions for use and suggestions for painting, etc., free by mail.

# ASBESTOS.

THE ABOVE IS A FAC-SIMILE OF OUR TRADE MARK WHICH WILL BE FOUND ON EVERY PACKAGE OF OUR PAINTS.

Prices per U. S. Standard Gallon, 231 cubic inches, for all Ordinary Shades :

Bbbs., per gal. 45 to 30 gals.	Kegs, per gal., 20, 15, 10 & 5 gals.	Pails & Cans, per gal., 3, 2 & 1 gal	$\frac{1}{2}$ gal. Cans, each.	Quarts, each.	Pints, each
\$1.75	1.80	1.85	1.00	.55	.30
Inside and Outside White, }	Bbbs. \$1.90	Kegs. 1.95	2.00	1.10	.60
No. 93, Azure Blue,		2.00	2.05	1.15	.60
No. 62, Dark Green,		3.25	3.30	1.70	.90
No. 12, Vermilion,					.50
No. 10, Standard Green, }		3.80	3.85	2.00	1.05
					.55

We call special attention to our IVORY WHITE (for outside work,) prices same as for all ordinary shades.

Paints for special purposes made to order.

### SMALL CANS,—FOR DOMESTIC USE.

We also supply these Paints in small cans containing sufficient to cover about 25 square feet, which will be found convenient for household purposes.

Ordinary Shades, per can.....	15 cts.
Inside and Outside White; and No. 93, Azure Blue, Per Can.....	16 "
No. 10, Standard Green; No. 12, Vermilion; No. 62, Dark Green, Per Can.....	20 "

Liberal Discounts to Large Consumers.

# A S B E S T O S H. R. W. JOHNS' LIQUID PAINTS.

These Samples are Painted with our Regular Grade of Liquid Paints

No. 89  
PRIMROSE.

No. 20  
GREEN STONE.

No. 21  
LT. SALMON.

No. 22  
PEARL GRAY.



No. 30  
PALE GREEN.

No. 78  
PINK DRAB.

No. 77  
EX. LT. OLIVE.

No. 81  
LT. YELLOW DRAB.



No. 90  
LIGHT CANARY.

No. 91  
GOLDEN YELLOW.

No. 92  
LT. COLONIAL.

No. 82  
OAK TAN.



No. 75  
TERRA COTTA.

No. 83  
DUTCH YELLOW.

No. 73  
POMPEIAN RED.

No. 84  
ORANGE RED.





**ORDER PAINTS BY THEIR NUMBERS.**

For Outside Work, thin only with Pure Raw Linseed Oil.  
For Inside Work, use Turpentine,

# T A S B E S T O S K

H. W. JOHNS' LIQUID PAINTS.

These Samples are Painted with our Regular Grade of Liquid Paints.






**ORDER PAINTS BY THEIR NUMBERS.**

For Outside Work, thin only with Pure Raw Linseed Oil,  
For Inside Work, use Turpentine.

# A. S. JOHNS' LIQUID PAINTS.

These Samples are Painted with our Regular Grade of Liquid Paints.




ORDER PAINTS BY THEIR NUMBERS.

For Outside Work, thin only with Pure Raw Linseed Oil.  
For Inside Work, use Turpentine.

# A S O F S T O S

## H. W. JOHNS' LIQUID PAINTS.


These Samples are Painted with our Regular Grade of Liquid Paints.



Order Paints by their Numbers. We also manufacture Inside and Outside White, and will make any desired Shade to order.

## H. W. JOHNS' ROOF AND RAILWAY PAINTS.

PREPARED READY FOR THE BRUSH.



We also manufacture "Cream White."

## ROOF AND RAILWAY PAINTS.

These paints are prepared ready for use, and possess a very elastic body. They are especially adapted for painting tin and other roofs, railroad buildings, bridges, freight cars, steamboat decks, boats, outbuildings, fences, gas holders, and other iron and rough woodwork. One gallon will cover from 350 to 400 square feet, one coat. See Sample Shades on page 6.

<i>Per Gal. U. S. Standard Measure.</i>	<i>Bbls., 45 to 30 gals.</i>	<i>Kegs, 20, 15, 10 and 5 gals.</i>	<i>Pails, 3, 2 and 1 gal.</i>
Brown.....	\$1.00	\$1.05	\$1.10
Dark Red.....	1.25	1.30	1.35
Gas-Holder Paint.....	1.35	1.40	1.45
Red, Gray, Buff, Slate, Yellow, Moss Green and Cream White.	1.30	1.35	1.40

## FLOOR PAINTS.

These are supplied ready for use in six shades, and are prepared from the most durable materials. They possess a heavy, elastic body, and will dry within 15 hours with a firm, hard gloss. They are especially adapted for use on veranda, kitchen and other floors; also on decks of boats, balconies, etc. One gallon will cover from 350 to 400 square feet, one coat.



### Other Shades to Order.

#### PER GALLON U. S. STANDARD MEASURE.

	<i>Bbls., 45 to 30 gals.</i>	<i>Kegs, 20, 15 10 &amp; 5 gals.</i>	<i>Pails, 3, 2 &amp; 1 gals.</i>	<i>½ gals.</i>	<i>Qts.</i>	<i>Pts.</i>
Lead, Terra Cotta, Lt. & Dk. Yellow, Maroon Border. }	\$1.35	1.40	1.45	.75	.45	.25
Silver Gray.....	1.50	1.55	1.60	.85	.50	.30

## LIQUID PRIMING.

Prepared ready for use for first coating on all wood or brick work. Suitable for use with any shade of our Liquid Paint.

<i>Per Gal U. S. Standard Measure.</i>	<i>Bbls., 45 to 30 gals.</i>	<i>Kegs, 20, 15, 10 and 5 gals.</i>	<i>Pails, 3, 2 and 1 gal.</i>
White or Yellow,.....	\$1.15	1.20	1.25

Other shades to order.

## SHINGLE STAINS.

Composed of pure colors and the best preservative materials known. Prepared ready for use, in twenty colors.

One gallon will "dip" about 500 shingles or cover 200 square feet of surface.

Samples on wood sent free on application,

Per gallon, in barrels, 60 cents; in kegs, 65 cents; in pails, 70 cents.

Special shades made to order.

## IRON OXIDE PAINTS.

This paint is manufactured by an entirely different process than any other oxide of iron, and is superior in color (a rich dark red) to any other metallic paint.

It is ground very fine, and mixes readily with raw or boiled oil.

Dry, in kegs, half-barrels and barrels, from 100 to 300 pounds each. Per pound..... 2 1/2 Cents

In Oil, in 25, 50 and 100 pound pails and kegs, Per pound..... 7 Cents

## LIQUID DRYER.

Our Liquid Dryer is superior in drying qualities, lightness of color and uniformity. It possesses unusual strength, is suitable for all linseed oil paints, and will not discolor the most delicate tints. No other dryer should be used in our paints.

In Nozzle Cans, boxed for shipment, U. S. Standard Measure.....	10 and 5 gals. per gal.	1 gal., 1/2 gal., Qts., Pts., 1/2 Pts., per gal. each. each. each.	\$1.25 \$1.50 80c. 45c. 30c. 20c.
---	-------------------------	--	-----------------------------------

## STRICTLY PURE LINSEED OIL.

Adulterated and inferior grades of oil are now sold to such an extent that, to insure the use of good oil in thinning our paints and colors, we will supply our customers with strictly pure raw Linseed Oil as used in our Paints, in Barrels, at New York market prices. The following additional charges will be made for packages for smaller lots.

15 to 10-gallon Package.	5-gallon Package.	3-gallon Package.	2-gallon Package.	1-gallon Package.
\$1.00	60c.	50c.	35c.	25c.

## WOOD STAINS.

**LIQUID.**—These are a combined filler and stain, prepared from the best pigments, and are supplied in liquid form ready for use. When used on whitewood, pine, etc., or properly prepared painted surfaces, they form a perfect representation of the natural wood. Taking into consideration their covering capacity they are the most economical Stains in the market. One quart will cover about 800 square feet.

**PASTE.**—We also supply these Stains in form of a stiff paste, to be thinned as desired with turpentine. One pound will produce over one quart of strong stain. In 1, 5 and 25 lb. cans,



The hand corner represents the ground upon which the Stain is applied. These samples have been varnished and afterwards rubbed with pumice stone and water. Samples of the stains in good wood will be furnished on application.

### PRICES.

	1 Gal ea.	½ Gal. ea.	Qt. ea.	Pt. ea.	½ Pt. ea.
Liquid—Antique Oak, Walnut, Mahogany and Cherry }	\$1.85	1.00	.55	.30	.20
Paste—Antique Oak, Walnut, Mahogany, Cherry.....	Per lb. 25 cts.				
Ebony.....	45 “				
½ lb. cans, 5 cents per lb. advance.					

## VARNISHES.

We supply a line of fine Varnishes adapted to all kinds of work.

**For full description see Special List.**

In Bbls. and Nozzle Cans, boxed for shipment.—  
U. S. Standard Measure.

	Bbls. per gal.	10 & 5 gal. per gal.	1 gal. per gal.	½ gal. each.	quarts each.	pints each.	¼ pt. each.
Outside Finishing....	\$3.25	\$3.45	\$3.65	\$1.95	\$1.00	.55	.....
Inside Finishing.....	2.75	2.95	3.15	1.70	.90	.50	.30
Spar Varnish.....	3.50	3.70	3.90	2.05	1.10	.60	.....
No. 1 Preservative...	2.20	2.40	2.60	1.40	.75	.40	.....
No. 2 Preservative...	3.15	3.35	3.50	1.85	1.00	.55	.....
Extra Coach.....	2.10	2.25	2.45	1.35	.75	.40	.....
No. 1 Coach.....	1.90	2.10	2.25	1.25	.70	.40	.....
Wagon Varnish.....	1.35	1.50	1.70	.95	.55	.30	.....
Extra Furniture.....	1.65	1.85	2.00	1.10	.60	.35	.20
No. 1 Furniture.....	1.35	1.50	1.70	.95	.55	.30	.....
Hard Oil Finish, L&D	1.95	2.15	2.35	1.25	.70	.40	.....
No. 2 Hard Oil Finish	1.60	1.80	2.00	.....	.....	.....	.....
Floor Varnish.....	2.00	2.20	2.40	1.30	.70	.40	.....
Asphalt Varnish <sup>(Smoke Stack.)</sup> .....	1.45	1.65	1.85	1.00	.55	.35	.....
Brown Japan.....	1.20	1.40	1.60	.90	.50	.30	.....
Turpentine Japan....	1.10	1.25	1.45	.85	.50	.30	.....
Wood Alc'l Shellac..	2.50	2.70	2.90	1.55	.85	.45	.....
Orange Shellac (D.C. in grain alcohol)...	<b>At Market Prices.</b>						

## WOOD-FILLERS.

**Liquid**—Supplied ready for use, a superior filler for white-wood, pine and other close grained woods. It is also a good "knot killer" and shellac substitute, and is especially adapted as a sizing for use on plastered walls, canvas work, etc., before painting. One gallon will cover 400 sq. ft. of surface.

Gallons each	½ Gallons each	Quarts each	Pints each
\$1.75	.95	.50	.30

**Paste**—Ground in best Gold Size Japan, for use on oak, ash, etc. One pound will cover from 40 to 50 square feet. Dark, light and mahogany in 1, 5 and 25 lb. cans, per lb..... 15 cts.

## FINE COLORS IN OIL.

These colors are prepared from carefully selected pigments ground in pure linseed oil, for the use of Painters and Decorators, and are unequaled in strength and fineness.

		Per lb. in 1 and 5 lb. cans.
<b>Umber,</b>	Best Turkey, Raw and Burnt.....	\$ .18
<b>Sienna,</b>	Best Italian, Raw and Burnt.....	.18
<b>Brown,</b>	Vandyke.....	.18
<b>Yellows,</b>	Chrome, L., M., O & D. O.....	.20
	Roman Ochre.....	.25
	Golden Ochre.....	.18
	Yellow Ochre.....	.13
	Stone Ochre.....	.15
	French Ochre.....	.12
<b>Blacks,</b>	Sign Writers'.....	.24
	Drop.....	.20
	Ivory.....	.20
	Coach.....	.20
	Lettering.....	.20
	Refined Lamp-Black.....	.20
<b>Blues,</b>	Chinese ( $\frac{1}{2}$ lb. cans 30c. ea., $\frac{1}{4}$ lb. cans 18c. ea.)....	.45
	Azure.....	.32
	Prussian ( $\frac{1}{2}$ lb. cans 25c. ea., $\frac{1}{4}$ lb. cans 15c. ea.)...	.38
	Ultramarine ( $\frac{1}{2}$ lb. cans 15c. ea., $\frac{1}{4}$ lb. cans 10c. ea.)	.25
<b>Greens,</b>	French Verdigris.....	.38
	Permanent.....	.38
	Paris.....	.25
	Chrome L., M. & D.....	.18
	Window Blind, L., M. & D.....	.18
<b>Vermilions</b>	English, L. & D. (subject to change).....	1.25
	American, L. & D.....	.28
<b>Reds,</b>	Rose Pink.....	.23
	Tuscan.....	.23
	Indian.....	.20
	Venetian.....	.12
<b>White,</b>	Flake..	.25

## IRON FILLER.


This is designed for filling all cast iron work, as Machinery, Fences, Pillars, etc., in order to make a smooth, even surface, ready for painting. It may be sand-papered or pumice-stoned for fine work.

Per lb..... 15

## LIQUID COACH COLORS.

These are prepared ready for use, of the best and most durable materials, and are especially intended for repainting carriages, wagons, carts, sleighs, buggies, etc. They can be easily applied, dry rapidly with a firm, hard gloss, and do not require to be either rubbed or varnished. One quart is sufficient for an ordinary-sized wagon. The white enamel is also especially adapted for use on bath tubs, etc.

	<i>Quarts.</i>	<i>Pints.</i>	<i>½ Pints.</i>
Black.....	\$0.80	.45	.30
Lt. Green, Dk. Green, Lt. Wine, Dk. Wine } 1.00		.55	.35
White, Yellow, Blue, Vermilion.....			



## ASBESTOS FIRE-PROOF PAINTS.

**For Inside Work.**—These Paints are prepared ready for use in white and light tints exclusively for inside rough wood-work of Factories, Warehouses, Boiler-Rooms, Cotton-Gin Houses, Theatres, Cellars, Attics, Stables, etc., for which purposes they are as durable as ordinary oil paints, and afford a valuable protection against sparks, cinders or light flames. One gallon will cover about 150 square feet, two heavy coats.

	Bbls. 50 to 30 gals.	Kegs. 20, 15, 10 & 5 gals.	Pails. 3, 2 & 1 gal.
Per Gal. U. S. Standard Measure.	65 cts.	70 cts.	75 cts.

## FIRE AND WATER-PROOF PAINTS.

**For Outside Work.**—These Paints form a reliable protection against burning sparks and cinders and also withstand the action of the weather. They are especially valuable for Wooden Factories, Warehouses, Railroad Fences, Station and Freight Houses, Bridges, Roofs, etc.

They are supplied in all the shades of our Roof and Railway Paints (see page 6.) One gallon will cover from 350 to 400 square feet, one coat.

	Bbls. 45 to 30 gals.	Kegs. 20, 15, 10 & 5 gals.	Pails. 3, 2 & 1 gal.
Per Gal. U. S. Standard Measure.	\$1.75	1.80	1.85
Railroad Fence Paint, Fire- Proof, Red and Brown, }	1.15	1.20	1.25

## SMOKE STACK PAINT.

This is supplied ready for use in all ordinary shades excepting Black. It is especially adapted for Smoke Stacks, Boiler Fronts, and all heated iron work.

Per Gal., in Bbls., \$1.40 ; Kegs, 1.45 ; Pails, 1.50.

## ASBESTOS CONCRETE COATING.

Is strictly fire-proof, and made of proper consistency to be applied with a trowel or a stiff brush. This Coating forms a durable surface on beams, posts, partitions, roof boards and other inside rough woodwork exposed to flames or intense heat. 100 lbs. will cover about 200 square feet  $\frac{1}{8}$  of an inch thick.

Casks of from 600 to 400 lbs., per lb.....6 cts.  
Kegs of from 300 to 100 lbs., per lb.....6½ "

Liberal Discounts to large Consumers.

## INDEX.

	PAGE.
Liquid Paints.....	2 to 6
Roof and Railway Paints.....	6 & 7
Floor Paints.....	7
Liquid Priming.....	8
Shingle Stains.....	8
Iron Oxide Paints.....	8
Liquid Dryer.....	8
Linseed Oil.....	8
Wood Stains.....	9
Varnishes.....	10
Wood Fillers.....	10
Fine Colors in Oil.....	11
Iron Filler.....	11
Liquid Coach Colors.....	12
Asbestos Fire-Proof Paints.....	13
Fire and Water-Proof Paints.....	13
R. R. Fence Paint.....	13
Smoke Stack Paint.....	13
Asbestos Concrete Coating.....	13

**H. W. JOHNS'**  
**ASBESTOS MATERIALS.**

ROOFING,  
ROOF COATINGS & CEMENTS,  
FIRE-PROOF  
CEMENTS AND COATINGS,  
BUILDING FELTS, Etc.

BOILER COVERINGS,  
SECTIONAL PIPE COVERINGS,  
STEAM PACKING,  
MILLBOARD, SHEATHING, Etc.

**VULCABESTON**  
**ELECTRICAL AND MECHANICAL GOODS.**  
**MOULDED MICA.**

Descriptive Price List, Samples, Etc., on Request.

# H. W. Johns Manufacturing Co.

87 MAIDEN LANE, NEW YORK.

JERSEY CITY, 239-241 Washington St.

CHICAGO, 240-242 Randolph St.

BOSTON, 119-121 Federal St.

PHILADELPHIA, 170-172 North 4th St.

LONDON; 88 Leadenhall Street.

CINCINNATI AGENCY,  
E. BOWEN,  
236 WALNUT ST., CINCINNATI, O.

**Digitized by**



**ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL**

[www.apti.org](http://www.apti.org)

**BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

**From the collection of:**

**Jablonski Building Conservation**

[www.jbconservation.com](http://www.jbconservation.com)